

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	first adj3 (cpu processor node server computer terminal device) with hash\$3 with (id identifier) and second adj3 (cpu processor node server computer terminal device) with hash\$3 with (id identifier) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:03
L2	2	first adj3 (cpu processor node server computer terminal device) with hash\$3 with (id identifier) with first adj3 (resource database directory storage system catalog file adj (server system)) and first adj3 (cpu processor node server computer terminal device) with hash\$3 with second adj3 (resource database directory storage system catalog file adj (server system))and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:08
L3	2	first adj3 (cpu processor node server computer terminal device) with hash\$3 with (id identifier) with first adj3 (resource database directory storage system catalog file adj (server system)) and first adj3 (cpu processor node server computer terminal device) with hash\$3 with second adj3 (resource database directory storage system catalog file adj (server system))and second adj3 (cpu processor node server computer terminal device) with hash\$3 and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:10
L4	19	(primary A local lana first native) near3 (cpu processor node server computer terminal device) with hash\$3 same (id identifier) same (resource database directory storage system catalog file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device) with hash\$3 and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:22

L6	17	(primary A local lana first native) near3 (cpu processor node server computer terminal device) same hash\$3 same (id identifier) same (primary A local lana first native) near3(resource database directory storage system catalog file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device) with hash\$3 and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:11
L7	4	(primary A local lana first native) near3 (cpu processor node server computer terminal device) same hash\$3 same (id identifier) same (primary A local lana first native) near3(resource database directory storage system catalog file adj (server system) table list structure) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system) table list structure)and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device) with hash\$3 and creat\$3 with hash and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:27

L8	52	(primary A local lana first native) near3 (cpu processor node server computer terminal device) same (hash\$3 id identifier) same (primary A local lana first native) near3(resource database directory storage system catalog file adj (server system) table list structure) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system) table list structure)and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device) with hash\$3 and (generat\$3 initiat\$3 establish creat\$3 compos\$3 assign\$3 designat\$3 select\$3) near3 hash and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:39
L9	40	(primary A local lana first native) near3 (cpu processor node server computer terminal device host) same (hash\$3 id identifier) same (primary A local lana first native) near3(resource database directory storage system catalog file adj (server system) table list structure) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system) table list structure)and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device host) same hash\$3 same (generat\$3 initiat\$3 establish creat\$3 compos\$3 assign\$3 designat\$3 select\$3) near3 hash and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:41
L10	37	9 not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 09:42
L11	1	9 not 6 and cach\$3 same distribut\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:13

L14	11	(primary A local lana first native) near3 (cpu processor node server computer terminal device) same hash\$3 with (id identifier) same (primary A local lana first native) near3 (resource database directory storage system catalog file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device) with hash\$3 with (id identifier)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:17
L15	3	9 not 6 and cach\$3 same (control\$4 manag\$5 distribut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:15
L16	293	(primary A local lana first native) near3 (cpu processor node server computer terminal device host) and hash\$3 with (id identifier) and (primary A local lana first native) near3 (resource database directory storage system catalog file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database directory storage system catalog file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device host) and hash\$3 near3 (creat\$3 generat\$3 assign\$3)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:20

L17	254	(primary A local lana first native) near3 (cpu processor node server computer terminal device host) and hash\$3 with (id identifier) and (primary A local lana first native) near3 (resource database storage memory cach\$3 file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database memory cach\$3 storage file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device host) and hash\$3 near3 (creat\$3 generat\$3 assign\$3)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:21
L18	92	(primary A local lana first native) near3 (cpu processor node server computer terminal device host) and hash\$3 with (id identifier) and (primary A local lana first native) near3 (resource database storage memory cach\$3 file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database memory cach\$3 storage file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device host) and hash\$3 near3 (creat\$3)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:21
L19	18	(primary A local lana first native) near3 (cpu processor node server computer terminal device host) and hash\$3 with (id identifier)same (primary A local lana first native) near3 (resource database storage memory cach\$3 file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database memory cach\$3 storage file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device host) and hash\$3 near3 (creat\$3)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:24

L20	16	(primary A local lana first native) near3 (cpu processor node server computer terminal device host) and hash\$3 with (id identifier)with (primary A local lana first native) near3 (resource database storage memory cach\$3 file adj (server system)) and (remote foreign second\$3 lanb B) near3 (resource database memory cach\$3 storage file adj (server system))and (remote foreign second\$3 lanb B) near3(cpu processor node server computer terminal device host) and hash\$3 near3 (creat\$3)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 10:28
L21	13	(primary local first native) adj3 (cpu processor node server computer terminal device host) and hash\$3 with (id identifier)with (primary local first native) adj3 (resource database storage memory cach\$3 file adj (server system)) and (remote foreign second\$3) adj3 (resource database memory cach\$3 storage file adj (server system))and (remote foreign second\$3) adj3(cpu processor node server computer terminal device host) and hash\$3 near3 (creat\$3)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:04
L22	14	(creat\$3) near3 hash\$3 same (id identifier) same(primary local first native) same (nodea same nodeb servera same serverb (remote foreign second\$3) same (primary local first native) clienta same clientb)and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:09
L25	1	(creat\$3 assign\$3 designat\$3 generat\$3) near3 hash\$3 same resource near3 (id identifier).ab. and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:11
L26	2	(creat\$3 generat\$3) near3 hash\$3 same resource near3 (id identifier) and(@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:12

L27	0	(creat\$3 generat\$3) near3 hash\$3 same resource near5 (id dentifier) and hash adj key and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:13
L28	14	(creat\$3 generat\$3) near3 hash\$3 same (id dentifier) and hash adj key and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:16
L29	1	28 and cach\$3 same distribut\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:13
L35	205	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) and hash same request and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:17
L36	90	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) same hash same request and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:17
L37	16	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) same hash same request.ab. and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:29
L38	11	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) same transmit\$4 with hash with request and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:31
L39	9	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) same transmit\$4 with hash with request and hash with (respon\$4 reply) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:33

L40	23	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) and (transfer\$4 send\$3 forward\$3 download\$3 transmit\$4) with hash with request and hash with (respon\$4 reply) and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 11:56
L41	8	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) and (transfer\$4 send\$3 forward\$3 download\$3 transmit\$4) with hash with request and hash with (respon\$4 reply) and cach\$34 and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:07
L42	10	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) and (transfer\$4 send\$3 forward\$3 download\$3 transmit\$4) with hash with request and hash with (respon\$4 reply) and distribut\$3 with (cach\$34 resource)and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:08
L43	3	(creat\$3 generat\$3) near3 hash\$3 same (id identifier) and (transfer\$4 send\$3 forward\$3 download\$3 transmit\$4) with hash with request and (receiv\$3 return\$3) with hash with (respon\$4 reply) and distribut\$3 with (cach\$34 resource)and (@ad<"20001129" @rlad<"20001129")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:09